

## 2015/2016 IWWA Captive Waterfowl Survey

### Whistling-ducks and allies

|  |     |
|--|-----|
| <b>1. Black-bellied Whistling-duck (<i>Dendrocygna autumnalis</i>)</b> |     |
| Males  | 85  |
| Females  | 97  |
| Unknown  | 128 |
| <b>2. Fulvous Whistling-duck (<i>Dendrocygna bicolor</i>)</b>          |     |
| Males  | 126 |
| Females  | 112 |
| Unknown  | 27  |
| <b>3. White-faced Whistling-duck (<i>Dendrocygna viduata</i>)</b>      |     |
| Males  | 306 |
| Females  | 303 |
| Unknown  | 69  |
| <b>4. Spotted Whistling-duck (<i>Dendrocygna guttata</i>)</b>          |     |
| Males  | 30  |
| Females  | 28  |
| Unknown  | 6   |
| <b>5. Plumed Whistling-duck (<i>Dendrocygna eytoni</i>)</b>            |     |
| Males  | 37  |
| Females  | 44  |
| Unknown  | 8   |
| <b>6. Javan Whistling-duck (<i>Dendrocygna javanica</i>)</b>           |     |
| Males  | 35  |
| Females  | 34  |
| Unknown  | 2   |
| <b>7. Cuban Whistling-duck (<i>Dendrocygna arborea</i>)</b>            |     |
| Males  | 56  |
| Females  | 54  |
| Unknown  | 5   |
| <b>8. Wandering Whistling-duck (<i>Dendrocygna arcuata</i>)</b>        |     |
| Males  | 25  |
| Females  | 19  |
| Unknown  | 15  |
| <b>9. White-backed Duck (<i>Thalassornis leuconotus</i>)</b>           |     |
| Males  | 11  |
| Females  | 15  |
| Unknown  | 0   |

## Dabbling Ducks

### 10. American Black Duck (*Anas rubripes*)

|             |    |
|-------------|----|
| Males       | 51 |
| Females     | 42 |
| Unknown sex | 8  |

### 11. Florida Mottled Duck (*Anas fulvigula fulvigula*)

|             |   |
|-------------|---|
| Males       | 5 |
| Females     | 6 |
| Unknown sex | 4 |

### 12. Louisiana Mottled Duck (*Anas fulvigula maculosa*)

|             |   |
|-------------|---|
| Males       | 8 |
| Females     | 6 |
| Unknown sex | 0 |

### 13. Hawaiian Duck (*Anas wyvilliana*)

|             |    |
|-------------|----|
| Males       | 11 |
| Females     | 12 |
| Unknown sex | 0  |

### 14. Laysan Duck (*Anas laysanensis*)

|             |    |
|-------------|----|
| Males       | 68 |
| Females     | 60 |
| Unknown sex | 31 |

### 15. Chinese Spot-billed Duck (*Anas poecilorhyncha zonorhyncha*)

|             |    |
|-------------|----|
| Males       | 11 |
| Females     | 7  |
| Unknown sex | 0  |

### 16. Indian Spot-billed Duck (*Anas poecilorhyncha poecilorhyncha*)

|             |    |
|-------------|----|
| Males       | 58 |
| Females     | 58 |
| Unknown sex | 0  |

### 17. Pacific Black Duck (*Anas superciliosa*)

|             |    |
|-------------|----|
| Males       | 13 |
| Females     | 8  |
| Unknown sex | 0  |

### 18. Philippine Duck (*Anas luzonica*)

|             |    |
|-------------|----|
| Males       | 55 |
| Females     | 42 |
| Unknown sex | 0  |

### 19. Meller's Duck (*Anas melleri*)

|             |    |
|-------------|----|
| Males       | 15 |
| Females     | 13 |
| Unknown sex | 0  |

|   |     |
|---|-----|
| <b>20. Yellow-billed Duck (<i>Anas undulata</i>)</b>            |     |
| Males   | 44  |
| Females   | 39  |
| Unknown sex   | 13  |
| <b>21. African Black Duck (<i>Anas sparsa</i>)</b>              |     |
| Males   | 10  |
| Females   | 24  |
| Unknown sex   | 4   |
| <b>22. Ringed Teal (<i>Callonetta leucophrys</i>)</b>           |     |
| Males   | 430 |
| Females   | 389 |
| Unknown sex   | 23  |
| <b>23. Brazilian Teal (<i>Amazonetta brasiliensis</i>)</b>      |     |
| Males   | 50  |
| Females   | 45  |
| Unknown sex   | 0   |
| <b>24. Green Pygmy Goose (<i>Nettapus pulchellus</i>)</b>       |     |
| Males   | 1   |
| Females   | 0   |
| Unknown sex   | 0   |
| <b>25. Indian Pygmy Goose (<i>Nettapus coromandelianus</i>)</b> |     |
| Males   | 19  |
| Females   | 17  |
| Unknown sex   | 0   |
| <b>26. African Pygmy Goose (<i>Nettapus auritus</i>)</b>        |     |
| Males   | 51  |
| Females   | 45  |
| Unknown sex   | 0   |
| <b>27. Australian Wood Duck (<i>Chenonetta jubata</i>)</b>      |     |
| Males   | 60  |
| Females   | 51  |
| Unknown sex   | 5   |
| <b>28. Mandarin Duck (<i>Aix galericulata</i>)</b>              |     |
| Males   | 651 |
| Females   | 590 |
| Unknown sex   | 19  |
| <b>29. North American Wood Duck (<i>Aix sponsa</i>)</b>         |     |
| Males   | 566 |
| Females   | 525 |
| Unknown sex   | 46  |

|   |     |
|---|-----|
| <b>30. Cape Teal (<i>Anas capensis</i>)</b>                                 |     |
| Males   | 54  |
| Females   | 52  |
| Unknown sex   | 8   |
| <b>31. Gadwall (<i>Anas strepera</i>)</b>                                   |     |
| Males   | 64  |
| Females   | 63  |
| Unknown sex   | 0   |
| <b>32. Falcated Duck (<i>Anas falcata</i>)</b>                              |     |
| Males   | 108 |
| Females   | 125 |
| Unknown sex   | 1   |
| <b>33. Chiloe Wigeon (<i>Anas sibilatrix</i>)</b>                           |     |
| Males   | 117 |
| Females   | 127 |
| Unknown sex   | 8   |
| <b>34. Eurasian Wigeon (<i>Anas penelope</i>)</b>                           |     |
| Males   | 65  |
| Females   | 63  |
| Unknown sex   | 0   |
| <b>35. American Wigeon (<i>Anas americana</i>)</b>                          |     |
| Males   | 79  |
| Females   | 80  |
| Unknown sex   | 0   |
| <b>36. Blue-winged Teal (<i>Anas discors</i>)</b>                           |     |
| Males   | 127 |
| Females   | 158 |
| Unknown sex   | 1   |
| <b>37. Garganey (<i>Anas querquedula</i>)</b>                               |     |
| Males   | 89  |
| Females   | 82  |
| Unknown sex   | 0   |
| <b>38. Northern Cinnamon Teal (<i>Anas cyanoptera septentrionalium</i>)</b> |     |
| Males   | 208 |
| Females   | 187 |
| Unknown sex   | 1   |
| <b>39. Red Shoveler (<i>Anas platalea</i>)</b>                              |     |
| Males   | 30  |
| Females   | 29  |
| Unknown sex   | 0   |

|  |   |
|--|---|
| <b>40. Australian Shoveler (<i>Anas rhynchos rhynchos</i>)</b> |   |
| Males  | 3 |
| Females  | 4 |
| Unknown sex  | 0 |

|  |    |
|--|----|
| <b>41. New Zealand Shoveler (<i>Anas rhynchos variegata</i>)</b> |    |
| Males  | 23 |
| Females  | 27 |
| Unknown sex  | 0  |

|   |     |
|---|-----|
| <b>42. Northern Shoveler (<i>Anas clypeata</i>)</b> |     |
| Males   | 177 |
| Females   | 145 |
| Unknown sex   | 1   |

|   |    |
|---|----|
| <b>43. Madagascar Teal (<i>Anas bernieri</i>)</b> |    |
| Males   | 42 |
| Females   | 46 |
| Unknown sex                                       | 0  |

|   |   |
|---|---|
| <b>44. Indonesian Gray Teal (<i>Anas gibberifrons gibberifrons</i>)</b> |   |
| Males   | 5 |
| Females   | 4 |
| Unknown sex   | 0 |

|  |   |
|--|---|
| <b>45. Australian Gray Teal (<i>Anas gracilis</i>)</b> |   |
| Males  | 0 |
| Females  | 0 |
| Unknown sex  | 0 |

|   |    |
|---|----|
| <b>46. Chestnut Teal (<i>Anas castanea</i>)</b> |    |
| Males   | 31 |
| Females   | 28 |
| Unknown sex                                     | 0  |

|  |             |    |
|--|-------------|----|
| <b>47. White-cheeked (Bahama) Pintail (<i>Anas bahamensis</i>)</b> |             |    |
| Males  | Males       | 97 |
| Females  | Females     | 95 |
| Unknown sex  | Unknown sex | 36 |

|   |       |    |
|---|-------|----|
| <b>48. Red-billed Pintail (<i>Anas erythrorhynchos</i>)</b> |       |    |
| Males   | Males | 27 |
| Females   |       | 19 |
| Unknown sex   |       | 0  |

|  |    |
|--|----|
| <b>49. Yellow-billed (Chilean) Pintail (<i>Anas georgica spinicauda</i>)</b> |    |
| Males  | 25 |
| Females  | 17 |
| Unknown sex  | 1  |

|  |     |
|--|-----|
| <b>50. South Georgia Pintail (<i>Anas georgica georgica</i>)</b> |     |
| Males  | 14  |
| Females  | 10  |
| Unknown sex  | 0   |
| <b>51. Northern Pintail (<i>Anas acuta</i>)</b>                  |     |
| Males  | 244 |
| Females  | 243 |
| Unknown sex  | 13  |
| <b>52. Baikal Teal (<i>Anas formosa</i>)</b>                     |     |
| Males  | 178 |
| Females  | 171 |
| Unknown sex  | 0   |
| <b>53. Sharp-winged Teal (<i>Anas flavirostris oxyptera</i>)</b> |     |
| Males  | 31  |
| Females  | 32  |
| Unknown sex  | 12  |
| <b>54. Chilean Teal (<i>Anas flavirostris flavirostris</i>)</b>  |     |
| Males  | 3   |
| Females  | 5   |
| Unknown sex  | 0   |
| <b>55. Green-winged Teal (<i>Anas carolinensis</i>)</b>          |     |
| Males  | 158 |
| Females  | 163 |
| Unknown sex  | 4   |
| <b>56. Common (European) Teal (<i>Anas crecca</i>)</b>           |     |
| Males  | 30  |
| Females  | 28  |
| Unknown sex  | 0   |
| <b>57. Silver Teal (<i>Anas versicolor</i>)</b>                  |     |
| Males  | 67  |
| Females  | 71  |
| Unknown sex  | 3   |
| <b>58. Puna Teal (<i>Anas puna</i>)</b>                          |     |
| Males  | 123 |
| Females  | 96  |
| Unknown sex  | 0   |
| <b>59. Hottentot Teal (<i>Anas hottentota</i>)</b>               |     |
| Males  | 94  |
| Females  | 80  |
| Unknown sex  | 6   |

## Pochards

### 60. Marbled Teal (*Marmaronetta angustirostris*)

|             |     |
|-------------|-----|
| Males       | 173 |
| Females     | 149 |
| Unknown sex | 5   |

### 61. Red-crested Pochard (*Netta rufina*)

|             |     |
|-------------|-----|
| Males       | 110 |
| Females     | 104 |
| Unknown sex | 25  |

### 62. Rosy-billed Pochard (*Netta peposaca*)

|             |     |
|-------------|-----|
| Males       | 109 |
| Females     | 92  |
| Unknown sex | 8   |

### 63. Southern Pochard (*Netta erythrophthalma*)

|             |    |
|-------------|----|
| Males       | 36 |
| Females     | 44 |
| Unknown sex | 1  |

### 64. Canvasback (*Aythya valisineria*)

|             |     |
|-------------|-----|
| Males       | 146 |
| Females     | 149 |
| Unknown sex | 3   |

### 65. Redhead (*Aythya americana*)

|             |     |
|-------------|-----|
| Males       | 216 |
| Females     | 207 |
| Unknown sex | 12  |

### 66. Common Pochard (*Aythya ferina*)

|             |    |
|-------------|----|
| Males       | 17 |
| Females     | 20 |
| Unknown sex | 0  |

### 67. Australian White-eye (*Aythya australis*)

|             |    |
|-------------|----|
| Males       | 10 |
| Females     | 5  |
| Unknown sex | 0  |

### 68. Ferruginous White-eye (*Aythya nyroca*)

|             |    |
|-------------|----|
| Males       | 70 |
| Females     | 52 |
| Unknown sex | 0  |

### 69. Baer's Pochard (*Aythya baeri*)

|             |    |
|-------------|----|
| Males       | 83 |
| Females     | 85 |
| Unknown sex | 0  |

|  |    |
|--|----|
| <b>70. New Zealand Scaup (<i>Aythya novaeseelandiae</i>)</b> |    |
| Males  | 52 |
| Females  | 46 |
| Unknown sex  | 4  |

|  |    |
|--|----|
| <b>71. Ring-necked Duck (<i>Aythya collaris</i>)</b> |    |
| Males  | 63 |
| Females  | 63 |
| Unknown sex  | 0  |

|   |    |
|---|----|
| <b>72. Tufted Duck (<i>Aythya fuligula</i>)</b> |    |
| Males   | 72 |
| Females   | 72 |
| Unknown sex                                     | 0  |

|   |    |
|---|----|
| <b>73. Greater Scaup (<i>Aythya marila</i>)</b> |    |
| Males   | 36 |
| Females   | 51 |
| Unknown sex                                     | 0  |

|   |     |
|---|-----|
| <b>74. Lesser Scaup (<i>Aythya affinis</i>)</b> |     |
| Males   | 105 |
| Females   | 106 |
| Unknown sex                                     | 2   |

## Stiff-tailed Ducks

|   |    |
|---|----|
| <b>75. White-headed Duck (<i>Oxyura leucocephala</i>)</b> |    |
| Males   | 32 |
| Females   | 30 |
| Unknown   | 0  |

|  |     |
|--|-----|
| <b>76. North American Ruddy Duck (<i>Oxyura jamaicensis</i>)</b> |     |
| Males  | 337 |
| Females  | 274 |
| Unknown  | 45  |

|   |    |
|---|----|
| <b>77. Argentine Ruddy Duck (<i>Oxyura vittata</i>)</b> |    |
| Males   | 45 |
| Females   | 28 |
| Unknown   | 1  |

|  |    |
|--|----|
| <b>78. Maccoa (<i>Oxyura maccoa</i>)</b> |    |
| Males                                    | 17 |
| Females                                  | 18 |
| Unknown                                  | 0  |

|   |   |
|---|---|
| <b>79. Black-headed Duck (<i>Heteronetta atricapilla</i>)</b> |   |
| Males   | 3 |
| Females   | 2 |
| Unknown   | 0 |



## Sea Ducks

### 80. King Eider (*Somateria spectabilis*)

|         |    |
|---------|----|
| Males   | 20 |
| Females | 26 |
| Unknown | 0  |

### 81. Spectacled Eider (*Somateria fischeri*)

|         |    |
|---------|----|
| Males   | 39 |
| Females | 40 |
| Unknown | 0  |

### 82. Steller's Eider (*Polysticta stelleri*)

|         |    |
|---------|----|
| Males   | 39 |
| Females | 29 |
| Unknown | 0  |

### 83. Pacific Common Eider (*Somateria mollissima v-nigra*)

|         |    |
|---------|----|
| Males   | 56 |
| Females | 61 |
| Unknown | 0  |

### 84. Atlantic Common Eider (*Somateria mollissima dresseri*)

|         |    |
|---------|----|
| Males   | 68 |
| Females | 68 |
| Unknown | 0  |

### 85. Faroe Common Eider (*Somateria mollissima faeroeensis*)

|         |   |
|---------|---|
| Males   | 1 |
| Females | 2 |
| Unknown | 0 |

### 86. Other Common Eider race (race not specified)

|         |   |
|---------|---|
| Males   | 8 |
| Females | 8 |
| Unknown | 5 |

### 87. Harlequin Duck (*Histrionicus histrionicus*)

|         |    |
|---------|----|
| Males   | 53 |
| Females | 58 |
| Unknown | 0  |

### 88. Long-tailed Duck (*Clangula hyemalis*)

|         |    |
|---------|----|
| Males   | 50 |
| Females | 55 |
| Unknown | 0  |

### 89. Surf Scoter (*Melanitta perspicillata*)

|         |    |
|---------|----|
| Males   | 15 |
| Females | 9  |
| Unknown | 0  |

|  |     |
|--|-----|
| <b>90. American Black Scoter (<i>Melanitta americana</i>)</b>                |     |
| Males  | 3   |
| Females  | 2   |
| Unknown  | 2   |
| <b>91. American White-winged Scoter (<i>Melanitta deglandi deglandi</i>)</b> |     |
| Males  | 19  |
| Females  | 25  |
| Unknown  | 0   |
| <b>92. Bufflehead (<i>Bucephala albeola</i>)</b>                             |     |
| Males  | 118 |
| Females  | 120 |
| Unknown  | 0   |
| <b>93. Common Goldeneye (<i>Bucephala clangula</i>)</b>                      |     |
| Males  | 79  |
| Females  | 90  |
| Unknown  | 10  |
| <b>94. Barrow's Goldeneye (<i>Bucephala islandica</i>)</b>                   |     |
| Males  | 112 |
| Females  | 94  |
| Unknown  | 1   |
| <b>95. Smew (<i>Mergellus albellus</i>)</b>                                  |     |
| Males  | 158 |
| Females  | 152 |
| Unknown  | 3   |
| <b>96. Hooded Merganser (<i>Lophodytes cucullatus</i>)</b>                   |     |
| Males  | 306 |
| Females  | 334 |
| Unknown  | 44  |
| <b>97. Common (American) Merganser (<i>Mergus merganser americanus</i>)</b>  |     |
| Males  | 12  |
| Females  | 20  |
| Unknown  | 2   |
| <b>98. Goosander (<i>Mergus merganser merganser</i>)</b>                     |     |
| Males  | 1   |
| Females  | 1   |
| Unknown  | 0   |
| <b>99. Red-breasted Merganser (<i>Mergus serrator</i>)</b>                   |     |
| Males  | 16  |
| Females  | 29  |
| Unknown  | 0   |

|   |    |
|---|----|
| <b>100. Scaly-sided (Chinese) Merganser (<i>Mergus squamatus</i>)</b> |    |
| Males   | 61 |
| Females   | 56 |
| Unknown   | 0  |

## Taxonomic oddities

|   |    |
|---|----|
| <b>101. Magpie Goose (<i>Anseranas semipalmata</i>)</b> |    |
| Males   | 36 |
| Females   | 35 |
| Unknown sex   | 2  |

|  |    |
|--|----|
| <b>102. Cape Barren Goose (<i>Cereopsis novaehollandiae</i>)</b> |    |
| Males  | 45 |
| Females  | 49 |
| Unknown sex  | 10 |

|  |    |
|--|----|
| <b>103. Freckled Duck (<i>Stictonetta naevosa</i>)</b> |    |
| Males  | 28 |
| Females  | 43 |
| Unknown sex  | 2  |

|  |    |
|--|----|
| <b>104. Pink-eared Duck (<i>Malacorhynchus membranaceus</i>)</b> |    |
| Males  | 12 |
| Females  | 15 |
| Unknown sex  | 0  |

## Sheldgeese, Shelducks and allies

|   |    |
|---|----|
| <b>105. Andean Goose (<i>Neochen melanoptera</i>)</b> |    |
| Males   | 22 |
| Females   | 23 |
| Unknown sex   | 0  |

|   |    |
|---|----|
| <b>106. Blue-winged Goose (<i>Cyanochen cyanoptera</i>)</b> |    |
| Males   | 28 |
| Females   | 26 |
| Unknown sex   | 1  |

|   |    |
|---|----|
| <b>107. Lesser Magellan Goose (<i>Chloephaga picta picta</i>)</b> |    |
| Males   | 14 |
| Females   | 16 |
| Unknown sex   | 0  |

|   |    |
|---|----|
| <b>108. Greater Magellan Goose (<i>Chloephaga picta leucoptera</i>)</b> |    |
| Males   | 13 |
| Females   | 14 |
| Unknown sex   | 0  |

|  |    |
|--|----|
| <b>109. Ashy-headed Goose (<i>Chloephaga poliocephala</i>)</b> |    |
| Males  | 15 |
| Females  | 15 |
| Unknown sex  | 0  |
| <b>110. Ruddy-headed Goose (<i>Chloephaga rubidiceps</i>)</b>  |    |
| Males  | 15 |
| Females  | 14 |
| Unknown sex  | 0  |
| <b>111. Egyptian Goose (<i>Alopochen aegyptiacus</i>)</b>      |    |
| Males  | 51 |
| Females  | 69 |
| Unknown sex  | 85 |
| <b>112. Orinoco Goose (<i>Neochen jubata</i>)</b>              |    |
| Males  | 64 |
| Females  | 47 |
| Unknown sex  | 8  |
| <b>113. Common Shelduck (<i>Tadorna tadorna</i>)</b>           |    |
| Males  | 71 |
| Females  | 75 |
| Unknown sex  | 17 |
| <b>114. Ruddy Shelduck (<i>Tadorna ferruginea</i>)</b>         |    |
| Males  | 37 |
| Females  | 34 |
| Unknown sex  | 10 |
| <b>115. Cape Shelduck (<i>Tadorna cana</i>)</b>                |    |
| Males  | 29 |
| Females  | 25 |
| Unknown sex  | 0  |
| <b>116. Australian Shelduck (<i>Tadorna tadornoides</i>)</b>   |    |
| Males  | 31 |
| Females  | 37 |
| Unknown sex  | 0  |
| <b>117. Paradise Shelduck (<i>Tadorna variegata</i>)</b>       |    |
| Males  | 21 |
| Females  | 23 |
| Unknown sex  | 0  |
| <b>118. Radjah Shelduck (<i>Tadorna radjah</i>)</b>            |    |
| Males  | 51 |
| Females  | 40 |
| Unknown sex  | 2  |

|   |             |    |
|---|-------------|----|
| <b>119. Northern Spur-winged Goose (White) (<i>Plectropterus gambensis gambensis</i>)</b> |             |    |
| Males   |             | 6  |
| Females   |             | 5  |
| Unknown sex   |             | 1  |
| <b>120. Southern Spur-winged Goose (Black) (<i>Plectropterus gambensis niger</i>)</b>     |             |    |
| Males   |             | 21 |
| Females   |             | 12 |
| Unknown sex   |             | 0  |
| <b>121. Wild Muscovy (<i>Cairina moschata</i>)</b>  |             |    |
| Males   |             | 25 |
| Females   |             | 46 |
| Unknown sex   |             | 5  |
| <b>122. Hartlaub's Duck (<i>Pteronetta hartauibii</i>)</b>                                |             |    |
| Males   |             | 21 |
| Females   |             | 21 |
| Unknown sex   |             | 5  |
| <b>123. New World Comb Duck (Black-sided) (<i>Sarkidiornis melanotos sylvicola</i>)</b>   |             |    |
| Males   |             | 18 |
| Females   |             | 19 |
| Unknown sex   |             | 0  |
| <b>124. Old World Comb Duck (Gray-sided) (<i>Sarkidiornis melanotos melanotos</i>)</b>    |             |    |
| Males   |             | 27 |
| Females   |             | 48 |
| Unknown sex   |             | 0  |
| <b>125. White-winged Wood Duck (<i>Asarcornis scutulata</i>)</b>                          |             |    |
| Males   |             | 33 |
| Females   |             | 38 |
| Unknown sex   |             | 0  |
| <b>126. Bronze-winged Duck (<i>Specularias specularis</i>)</b>                            |             |    |
| Males   |             | 18 |
| Females   |             | 19 |
| Unknown sex   |             | 6  |
| <b>127. Patagonian Crested Duck (<i>Lophonetta specularioides specularioides</i>)</b>     |             |    |
| Males   |             | 5  |
| Females   |             | 7  |
| Unknown sex   |             | 0  |
| <b>128. Flying Steamer Duck (<i>Tachyeres patachonicus</i>)</b>                           |             |    |
| Males   | Males       | 3  |
| Females   | Females     | 5  |
| Unknown sex   | Unknown sex | 0  |

|   |   |
|---|---|
| <b>129. Magellanic (Fuegian) Steamer Duck (<i>Tachyeres pteneres</i>)</b> |   |
| Males   | 0 |
| Females   | 0 |
| Unknown sex   | 0 |

## Northern Geese

|   |    |
|---|----|
| <b>130. Swan Goose (<i>Anser cygnoides</i>)</b> |    |
| Males   | 49 |
| Females   | 56 |
| Unknown sex                                     | 1  |

|   |    |
|---|----|
| <b>131. Pink-footed Goose (<i>Anser brachyrhynchus</i>)</b> |    |
| Males   | 23 |
| Females   | 22 |
| Unknown sex   | 0  |

|  |    |
|--|----|
| <b>132. Western Graylag Goose (<i>Anser anser anser</i>)</b> |    |
| Males  | 8  |
| Females  | 11 |
| Unknown sex  | 0  |

|  |    |
|--|----|
| <b>133. Pacific White-fronted Goose (<i>Anser albifrons frontalis</i>)</b> |    |
| Males  | 20 |
| Females  | 21 |
| Unknown sex  | 0  |

|  |    |
|--|----|
| <b>134. Tule White-fronted Goose (<i>Anser albifrons elgasi</i>)</b> |    |
| Males  | 17 |
| Females  | 16 |
| Unknown sex  | 0  |

|  |    |
|--|----|
| <b>135. Lesser White-fronted Goose (<i>Anser erythropus</i>)</b> |    |
| Males  | 54 |
| Females  | 47 |
| Unknown sex  | 1  |

|   |     |
|---|-----|
| <b>136. Bar-headed Goose (<i>Anser indicus</i>)</b> |     |
| Males   | 125 |
| Females   | 138 |
| Unknown sex   | 26  |

|  |    |
|--|----|
| <b>137. Emperor Goose (<i>Chen canagica</i>)</b> |    |
| Males  | 94 |
| Females  | 99 |
| Unknown sex                                      | 4  |

|   |    |
|---|----|
| <b>138. Lesser Snow Goose (white phase) (<i>Chen caerulescens caerulescens</i>)</b> |    |
| Males   | 35 |
| Females   | 30 |
| Unknown sex   | 18 |

|  |    |
|--|----|
| <b>139. Lesser Snow Goose (blue phase) (<i>Chen caerulescens caerulescens</i>)</b> |    |
| Males  | 23 |
| Females  | 27 |
| Unknown sex  | 0  |
| <b>140. Greater Snow Goose (<i>Chen caerulescens atlanticus</i>)</b>               |    |
| Males  | 7  |
| Females  | 6  |
| Unknown sex  | 0  |
| <b>141. Ross' Goose (<i>Chen rossii</i>)</b>                                       |    |
| Males  | 70 |
| Females  | 65 |
| Unknown sex  | 11 |
| <b>142. Giant Canada Goose (<i>Branta canadensis maxima</i>)</b>                   |    |
| Males  | 22 |
| Females  | 27 |
| Unknown sex  | 11 |
| <b>143. Atlantic Canada Goose (<i>Branta canadensis canadensis</i>)</b>            |    |
| Males  | 1  |
| Females  | 1  |
| Unknown sex  | 0  |
| <b>144. Dusky Canada Goose (<i>Branta canadensis occidentalis</i>)</b>             |    |
| Males  | 5  |
| Females  | 6  |
| Unknown sex  | 0  |
| <b>145. Other Canada Goose race (race not specified)</b>                           |    |
| Males  | 7  |
| Females  | 8  |
| Unknown sex  | 4  |
| <b>149. Cackling Goose (<i>Branta hutchinsii minima</i>)</b>                       |    |
| Males  | 28 |
| Females  | 29 |
| Unknown sex  | 0  |
| <b>146. Aleutian Cackling Goose (<i>Branta hutchinsii leucopareia</i>)</b>         |    |
| Males  | 17 |
| Females  | 25 |
| Unknown sex  | 0  |
| <b>147. Richardson's Cackling Goose (<i>Branta hutchinsii hutchinsii</i>)</b>      |    |
| Males  | 4  |
| Females  | 4  |
| Unknown sex  | 0  |

|  |   |
|--|---|
| <b>148. Other Cackling Goose race (race not specified)</b> |   |
| Males  | 8 |
| Females  | 8 |
| Unknown sex  | 4 |

|   |     |
|---|-----|
| <b>150. Hawaiian Goose (<i>Branta sandvicensis</i>)</b> |     |
| Males   | 104 |
| Females   | 88  |
| Unknown sex   | 24  |

|   |     |
|---|-----|
| <b>151. Red-breasted Goose (<i>Branta ruficollis</i>)</b> |     |
| Males   | 197 |
| Females   | 186 |
| Unknown sex   | 47  |

|  |    |
|--|----|
| <b>152. Barnacle Goose (<i>Branta leucopsis</i>)</b> |    |
| Males  | 79 |
| Females  | 87 |
| Unknown sex  | 0  |

|  |    |
|--|----|
| <b>153. Pacific Brant (<i>Branta bernicla nigricans</i>)</b> |    |
| Males  | 29 |
| Females  | 22 |
| Unknown sex  | 1  |

|   |    |
|---|----|
| <b>154. Atlantic Brant (<i>Branta bernicla hrota</i>)</b> |    |
| Males   | 9  |
| Females   | 10 |
| Unknown sex   | 0  |

|   |   |
|---|---|
| <b>155. Russian Brant (<i>Branta bernicla bernicla</i>)</b> |   |
| Males   | 2 |
| Females   | 2 |
| Unknown sex   | 0 |

## Swans

|   |    |
|---|----|
| <b>156. Coscoroba Swan (<i>Coscoroba coscoroba</i>)</b> |    |
| Males   | 40 |
| Females   | 32 |
| Unknown sex   | 0  |

|   |    |
|---|----|
| <b>157. Trumpeter Swan (<i>Cygnus buccinator</i>)</b> |    |
| Males   | 68 |
| Females   | 87 |
| Unknown sex   | 12 |



|  |  |    |
|--|--|----|
| <b>158. Whistling Swan (<i>Cygnus columbianus</i>)</b> |  |    |
| Males  |  | 18 |
| Females  |  | 21 |
| Unknown sex  |  | 0  |

|  |  |   |
|--|--|---|
| <b>159. Bewick's Swan (<i>Cygnus bewickii</i>)</b> |  |   |
| Males  |  | 0 |
| Females  |  | 1 |
| Unknown sex  |  | 0 |

|   |             |    |
|---|-------------|----|
| <b>160. Whooper Swan (<i>Cygnus cygnus</i>)</b> |             |    |
| Males   | Males       | 23 |
| Females   | Females     | 35 |
| Unknown sex                                     | Unknown sex | 11 |

|  |             |     |
|--|-------------|-----|
| <b>161. Mute Swan (<i>Cygnus olor</i>)</b> |             |     |
| Males                                      | Males       | 271 |
| Females                                    | Females     | 268 |
| Unknown sex                                | Unknown sex | 14  |

|  |  |     |
|--|--|-----|
| <b>162. Black Swan (<i>Cygnus atratus</i>)</b> |  |     |
| Males  |  | 113 |
| Females  |  | 150 |
| Unknown sex                                    |  | 64  |

|   |             |    |
|---|-------------|----|
| <b>163. Black-necked Swan (<i>Cygnus melancoryphus</i>)</b> |             |    |
| Males   | Males       | 64 |
| Females   | Females     | 65 |
| Unknown sex   | Unknown sex | 0  |

**Total respondents: 183 public, 140 private in the United States and Canada**